

# DEDRA

## SPECIAL OFFER

may number  
**05/2020**

Offer valid from 11.05.2020  
to 07.06.2020

or while stock lasts

Rotary hammer 1500W



**DED7840**  
SDS+ handle, impact force 4,8 J, 3900 impacts / min., concrete drill bits 8,10,12 mm, case

Rotary Hammer drill 900W



**DED7850**  
SDS+ handle, 0-1300r/min., impact force 3.2 J, 4 functions, case, SDS PLUS

Cordless drill 12V



**DED7874**  
Maximum torque 20 Nm, drill chuck range 10 mm, 1x1,5 Ah Li-ION battery, 0-650 rpm quick charger (1h), case

Cordless drill 18V



**DED7880B**  
Maximum torque 30 Nm, drill chuck range 10 mm, 2x Li-Ion battery (1,5 Ah), quick charger (1h), case

Circular Saw 1500W



**DED7925**  
Disc 185/20 mm, max cutting width 66 mm, cutting at an angle up to 45°

Electric mixer 1200W



**DED7928**  
2 gears, M14 thread, mixer with a diameter of 120 mm included

Angle grinder 860W



**DED7950**  
Disc 125/22.5mm, M14 grip, 11000 RPM

Angle grinder 1100W



**DED7954**  
Disc 125/22.5mm, M14 grip, 12000 RPM, smooth speed adjustment 3000 - 12000 RPM, soft start

Impact drill 900W in BMC



**DED7960**  
Self-clamping drill chuck 2-13 mm, smooth speed adjustment, impact drilling function, soft handle, case



For all electric tools



Bench grinder 150W

PANSAM



**A067100**

Disc size 125/16/12,7 mm, 2950 rpm., for dry sanding

Bench grinder 150W

PANSAM



**A067110**

Disc size 150/16/12,7 mm, 2950 rpm., for dry sanding

Vertical paper bag 3 pcs in set

PANSAM



**A063031**

Filter HEPA

PANSAM



**A063032**

Cotton filter

PANSAM



**A063033**

Vacuum cleaner w/ semi-automat.filter cleaning system 1600W

PANSAM



**A063040**

Possibility of working with gypsum dust, dry and wet operation function, filter shaking function, additional 230 V socket, 30 l tank

Vacuum cleaner with water filter 1400W

DEDRA



**DED6602**

Dry operation function, thrust adjustment, additional socket for power tools up to 2000 W, 20 l tank

**Complementary products:**

**DED66021** Spare fabric bag

**DED66022** Cotton filter

**DED66023** Sponge filter 5 pcs

Vacuum cleaner wet & dry 1600W 30L

DEDRA



**DED6603**

**Complementary products:**

**DED66031** Upper tank fabric bag

**DED66032** Lower tank fabric bag

**DED66033** Filtr HEPA

**DED66034** Sponge filter (black)

W

1600

230 V - 50Hz

30

Max 2000W

230V-50Hz

OCYSCZANIE FILTRA  
FILTER CLEANING

# DEDRA SAS+ALL

## One battery - many possibilities!

### DEDRA SAS+ALL

Set Dedra SAS+ALL

DEDRA



**DED7012**

The set includes:

**DED7055** Stapler 2 in 1

**DED7032** 2,0Ah 18V Li-Ion battery

**DED7038** Battery charger

**DED7001** Tool bag 16" Polyester 600D

Set Dedra SAS+ALL

DEDRA



**DED7014**

The set includes:

**DED7040** Drill 18V

**DED7045** Impact driver 18V

**DED7032** 2x 2,0Ah 18V Li-Ion battery

**DED7038** Battery charger

**DED7001** Tool bag 16" Polyester 600D

Set Dedra SAS+ALL

DEDRA



**DED7016**

The set includes:

**DED7090** Grass trimmer

**DED7032** 2,0Ah 18V Li-Ion battery

**DED7038** Battery charger

Set Dedra SAS+ALL

DEDRA



**DED7020**

The set includes:

**DED7146** Brushless impact wrench 1/2" 18V

**DED7034** 4,0Ah 18V Li-Ion battery

**DED7038** Battery charger

**DED7001** Tool bag 16" Polyester 600D

Set Dedra SAS+ALL

DEDRA



**DED7022**

The set includes:

**DED7064** Circular saw 18V

**DED7034** 4,0Ah 18V Li-Ion battery

**DED7038** Battery charger

**DED7001** Tool bag 16" Polyester 600D

Brushless impact drill 18V

DEDRA



**DED7142**

UPDR IMPACT

50 Nm 18V

BRUSHLESS MOTOR

32 METAL 13

For all electric tools

DEDRA

PANSAM

DESCON



**Hot knife 150W**



**DED7519**

Max. temperature: 450°C, length: 150 mm, spare saw blade, transport case

**Heat gun with grill nozzle 1000/2000W**



**DED7972**

Maximum temperature: 350/550°C, airflow: 300/500 L/min, overheating protection

**Drill press 500W**



**DED7710**

16mm, 9 speed, drill travel 50mm

**HVLP paint sprayer 700W**



**DED7413**

Working pressure 15-35 kPa, capacity 250-350 ml/min, 1 liter tank, hose length 1.6 m, 1.8 mm and 2.5 mm nozzles included in the set

**Multifunction tool 250W, accessories, BMC**



**DED7945**

Oscillation rate: 15-22k/min, the set includes: half-round saw blade for wood, blade for metal, scraper, triangular head with holes, triangular papers 4 pcs. GSM 40, 80, 100, 120, case

**Reciprocating saw 710W**



**DED7968**

2 BLADES IN A SET

6 level rotary speed regulation 800 - 3000 rpm, max. cutting depth: steel 10mm, aluminum 20mm, wood 115mm, switch lock, no tool blade / limiter assembly system, in a set: 2 blades

**Complementary products:**

**DED79681** Blade for metal and plastic

2 pcs for reciprocating saw

**DED79682** Blade for wood 150mm,

3pcs for reciprocating saw

**DED79683** Blade for wood 240mm, 2pcs

**Airless paint sprayer 650W**



**DED7421**

Maximum working pressure 205 bar, maximum spraying efficiency 1.1 l/min, maximum spray viscosity 100 DIN-s, including: DED7440 gun with DED7444-517 nozzle, 7.5 m pressure hose

**Polishing machine 710W**



**DED7748**

Tool length: 160 cm, Disc diameter: 225mm, the set includes: 4 m dust extraction hose, spare wire, set of abrasive discs

**Complementary products:**

**DED77481** Auxiliary handle for DED7748

**DED77482** Hose 4m, new Typee, for DED7748

i DED7749

**Polishing machine with LED, 750W**



DUST SUCKING TURBINE

LED ILLUMINATION

**DED7764**

LED lighting, 180mm diameter blade with dust extraction holes, integrated vacuum cleaner, 1.5m dust extraction hose

**225 mm polishing disc**



Cat. no.	Gradation
DED77490	60
DED77491	80
DED77492	100
DED77493	120
DED77494	150
DED77495	180
DED77496	240



Display package 5 pcs., for #DED7748

**225 mm polishing disc**



Cat. no.	Gradation
DED7749A0	60
DED7749A1	80
DED7749A2	100
DED7749A3	120
DED7749A4	150
DED7749A5	180
DED7749A6	240



Display package 5 pcs., for DED7743

**185mm polishing disc, holes**



Cat. no.	Gradation
DED77641	60
DED77642	80
DED77643	100
DED77644	120
DED77645	150
DED77646	180
DED77647	240



Display package 5 pcs., for #DED7764

**Round abrasive paper 180mm**



Cat. no.	Gradation
DED7764P	40
DED7764P0	60
DED7764P1	80
DED7764P2	100
DED7764P3	120
DED7764P4	150
DED7764P5	180
DED7764P50	220



Display package 5 pcs., Abrasive material: aluminium oxide Al2O3

**Electric Tile Cutter with 180mm**



**DED7701**

Disc 180/22.2 mm, working table dimensions 395x395 mm, cutting at an angle up to 45°

**Gasoline generator 2,0 kW**



**DEGB2510**

Maximum power 2200W, continuous operation power 2000W, engine power 5 HP, 2 sockets 230V, 1 socket 12V, four stroke reciprocating engine, 15 l fuel tank

**Complementary products:**

**DEGL01** Motor Oil 1L Semisintex SH/CF 10W30, 1L

**DEGL05** Fuel tank cup

**Electric tilecutting machine 1.1 kW with sliding cutting head**



LOWERED ENGINE

MAXIMUM CUTTING LENGTH 1020 mm

**DED7824**

Disc 250/25.4 mm, working table dimensions 1060x630 mm, cutting at an angle up to 45°

**Electric tilecutting machine 0.8 kW with sliding cutting head**



MAXIMUM CUTTING LENGTH 930 mm

**DED7831**

Disc 230/25.4 mm, working table dimensions 1170x400 mm, cutting at an angle up to 45°



For all electric tools



BY-PASS lopper,  
max cutting thickness 35mm



**80A020**

BY-PASS lopper to green branches, max cutting thickness 35mm, SK5 steel for blades, upper blade with black teflon surface, aluminum handles PP+TPR, total product length 680mm

Chain for chain saw 3/8" 1.3 mm



**DED87011**

Chain pitch 3/8" (19 mm), 57 links, slot width 1.3 mm, full chisel, designed for 16" (40 cm) guides, recommended for DED8701, DED8702 saws

Chain saw bar 40 cm 1.3 mm



**DED87012**

Length of the guide 40 cm, designed for chain 3/8" (19 mm) - 57 links, recommended for DED8701, DED8702 saws

Chain saw 2,2kW 40 cm

TOOL-LESS CHAIN TENSIONER

GUIDE BAR LENGTH 16" / 40 CM



**DED8701**

Power 2200W, guide rail length 16" (40 cm), guide bar width 1.3 mm, chain pitch 3/8" (19 mm) - 57 links, full profile chisel chain, chain speed 13m/s, oil tank for chain lubrication 200 ml

BY-PASS lopper with gear,  
max cutting thickness 35mm



**80A021**

BY-PASS lopper, to green branches, with gear, max cutting thickness 35mm, SK5 steel for blades, upper blade with black teflon surface, aluminum handles PP+TPR, total product length 710mm

Sharp spade with steel handle,  
with D handle 122 cm



**80B003**

Metal shaft diameter 32 mm, D-shaped plastic handle (rough finishing)

Straight spade rounded, steel  
handle, with D handle 122 cm



**80B006**

Metal shaft diameter 32 mm, D-shaped plastic handle (soft finishing)

Drain spade with metal  
handle 127 cm



**80B008**

Metal shaft, D-shaped plastic handle, spring steel

Sand shovel with metal shaft,  
PCV handle



**80B010**

Metal shaft, D-shaped plastic handle, spring steel

Telescopic BY-PASS lopper with  
gear, max cutt. thickness 35 mm



**80A022**

BY-PASS lopper to green branches, with gear, max cutting thickness 35mm, SK5 steel for blades, upper blade with black teflon surface, aluminum telescopic handles PP+TPR, total product length 680-1040mm

Digging forks with steel handle,  
with D handle 122 cm



**80B017**

Metal shaft, D-shaped plastic handle, carbon steel

Adjustable metal wire rake



**80B050**

15 teeth, handwheel regulation, steel pipe with plastic handle

Reinforced 16-tines rake  
with metal shaft, ergo



**80B052**

Profiled pipe for better work comfort

Stand for 24 pcs.



Anvil lopper with gear,  
max cutt. thickness 35 mm



**80A030**

Anvil lopper to dry branches, with gear, max cutting thickness 35mm, SK5 steel for blades, upper blade with black teflon surface, aluminum handles PP+TPR, total product length 710mm

Hole with metal shaft 140 mm



**80B070**

Metal shaft, plastic handle, carbon steel

Combi hoe-fork L-1100  
with metal shaft 114 cm



**80B071**

Metal shaft, plastic handle, carbon steel

Garden cultivator with metal  
shaft 128 cm



**80B072**

Metal shaft, plastic handle, carbon steel

Stand for 36 pcs.



Shampoo for car washing 1L

DEDRA



**DED8823A1**

Highly concentrated car shampoo, 1L recommended to use with DED8821 and DED8822 pressure washers

Active foam agent for car washing 1L

DEDRA



**DED8823A3**

Highly concentrated cleaner for mechanical cleaning of car, 1L recommended to use with DED8821 and DED8822 pressure washers

Washing agent for paving stones 1L

DEDRA



**DED8823A5**

Concentrated cleaner, low foam, intensive, deeply penetrating, 1L recommended to use with DED8821 and DED8822 pressure washers

Adapter for accessories of high pressure washer

DEDRA



**DED882207**

Accessories  
DEDRA

High pressure washer 2300W, 150bar, 450L/h

DEDRA



- „STOP AUTO“
- ELASTIC HOSE 5 m
- BUILT-IN CONTAINER FOR DETERGENT
- STAINLESS STEEL LANCE

**DED8822**

Aluminum pump, motor with copper winding, max pressure 150 Bar, capacity 450 L/h, 5 m long power cable with water filter, max water temperature 50 ° C, spray gun, stainless steel lance with nozzle with adjustable jet width water, Turbo rotary lance, terrace cleaning brush, flat brush, foam, water filter included in the set

Water inlet filter for high pressure washer

DEDRA



**DED882206**



Submersible pump, plastic 550W for clean and dirty water

DEDRA

**DED8841**

Efficiency: 11000 L/h max. Immersion depth: 7m, max. lift height: 7m, connection diameter 1", 5/4", 3/2, float switch, long power cord (10m)



Submersible pump, plastic 900W for clean and dirty water

DEDRA

**DED8843**

Efficiency: 14500 L/h max. Immersion depth: 7m, max. lift height: 9m, connection diameter 1", 5/4", 3/2, float switch, long power cord (10m)

Grass trimmer 1400W, 51,7cc

Garden  
DEDRA



W ZESTAWIE

**DED8715**

Engine displacement 51,7 cc, rotational speed 10500 rpm, power 1,4 kW / 1,9 KM, petrol tank capacity 1,2 L, blade cutting width 255 mm, line cutting width 440 mm, line diameter 2-2,4 mm, manual starter

Trimmer line

Garden  
DEDRA



Cat. no. Diameter x length

80Z16151	round / 1,6 mm x 15m
80Z16152	square / 1,6 mm x 15m
80Z20151	round / 2,0 mm x 15m
80Z24151	round / 2,4 mm x 15m

Spool with line

Garden  
DEDRA



**DED87151**

3T blade for DED8715

Garden  
DEDRA



**DED87152**

Electric lawn mower 33 cm 1200W

Garden  
DEDRA



**DED8707**

 min <sup>-1</sup> 3500 min <sup>-1</sup> PRĘDKOŚĆ OBROTOWA ROTATIONAL SPEED	<b>1,2 KW</b> MOC POWER	 14cm, 16cm ŚREDNICA KOLEK WHEELS DIAMETER
 30 L POJEMNOŚĆ KOSZA GRASS CATCHER CAPACITY	<b>CENTRAL</b> 20/40/60mm 3 WYSOKOŚCI KOSZENIA 3 CUTTING HEIGHTS	 33 cm SZEROKOŚĆ CIĘCIA CUTTING WIDTH

Electric lawn mower 38 cm 1600W

Garden  
DEDRA



**DED8708**

 min <sup>-1</sup> 3600 min <sup>-1</sup> PRĘDKOŚĆ OBROTOWA ROTATIONAL SPEED	<b>1,6 KW</b> MOC POWER	 16cm, 20cm ŚREDNICA KOLEK WHEELS DIAMETER
 30 L POJEMNOŚĆ KOSZA GRASS CATCHER CAPACITY	<b>CENTRAL</b> 20-70mm ŚWYKOKOŚCI KOSZENIA 3 CUTTING HEIGHTS	 38 cm SZEROKOŚĆ CIĘCIA CUTTING WIDTH



For all electric tools

DEDRA

PANSAM

DESCON

Metal welding goggles



DEDRA

DES020



Inverter welding machine 160A



DEDRA

DES190BT

Maximum electrode diameter: 4 mm, welding current range: 10-160 A, cable with MMA handle included, ground cable, mask, hammerbrush

Inverter welding machine 180A



DEDRA

DES195BT

Maximum electrode diameter: 4 mm, welding current range: 10-180 A, cable with MMA handle included, ground cable, mask, hammerbrush

Rutile electrodes



DEDRA

Cat. no.	Diameter*length, package
DESR2505	2,5*350 mm, 0,5 kg
DESR2548	2,5*350 mm, 4,8 kg
DESR3205	3,2*350 mm, 0,5 kg
DESR3250	3,2*350 mm, 5 kg
DESR4020	4,0*400 mm, 2 kg
DESR4050	4,0*400 mm, 5 kg

Welding mask



DEDRA

DES010

200x270x50mm, filtr 50x100mm

Welding mask



DEDRA

DES011

235x385x85mm, filtr 50x100mm, wood handle

Welding mask



DEDRA

DES012

235x385x85mm, filtr 80x100mm, wood handle

Earth clamp 200 A

DEDRA



DES062

Earth clamp 300 A

DEDRA



DES063

Electrode grip 200 A

DEDRA



DES060

Electrode grip 300 A

DEDRA



DES061

Conical nozzle MB 15, 2pcs



DEDRA

DES059

2 pcs.

Welding triangle small



DEDRA

DES064

Welding triangle small 75x12mm

Welding triangle medium



DEDRA

DES065

Welding triangle medium 90x15mm

Welding triangle big



DEDRA

DES066

Welding triangle big 110x25mm

Air duster

PANSAM



Cat. no.	Extension
A533030	25 mm
A533031	100 mm
A533032	190 mm

Inflating gun

PANSAM



A533050

Max. 8 bar

Complementary products:

A533051 Air hose for inflating gun 44cm

A533052 Air hose for inflating gun 100cm

7 pcs inflating nozzles set

PANSAM



A533053

Paint gun

PANSAM



A533060

lastic cup 500ml nozzle 1,5 mm

Spiral air hose

PANSAM



Cat. no.	Length
A533080	5 m
A533081	10 m
A533082	15 m

For all electric tools

DEDRA

PANSAM

DESCON



Disc for cutting steel, 355x3,2x25,4mm



**F13073**

Disc for cutting steel, flat center



Cat. no.	Dimensions
F13011	115x1,0x22,2 mm
F13012	115x1,5x22,2 mm
F13013	115x2,5x22,2 mm
F13021	125x1,0x22,2 mm
F13022	125x1,5x22,2 mm
F13023	125x2,5x22,2 mm
F13024	125x3,2x22,2 mm
F13052	230x2,0x22,2 mm
F13053	230x3,0x22,2 mm

Disc for cutting steel,depressed center



Cat. no.	Dimensions
F1312	125x3,2x22,2 mm
F1315	230x3,0x22,2 mm

Disc for polishing steel depressed center



Cat. no.	Dimensions
F1321	115x6,0x22,2 mm
F1322	125x6,0x22,2 mm
F1325	230x6,0x22,2 mm

Disc for cutting inox



Cat. no.	Dimensions
F13311	115x1,0x22,2 mm
F13312	115x1,5x22,2 mm
F13321	125x1,0x22,2 mm
F13322	125x1,5x22,2 mm

Disc for cutting stone



Cat. no.	Dimensions
F13412	115x1,5x22,2 mm
F13413	115x3,0x22,2 mm
F13422	125x1,5x22,2 mm
F13424	125x3,0x22,2 mm
F13453	230x3,0x22,2 mm

Disc for polishing stone depressed center



Cat. no.	Dimensions
F1361	115x6,0x22,2 mm
F1362	125x6,0x22,2 mm
F1365	230x6,0x22,2 mm

Disc for cutting stone depressed center



Cat. no.	Dimensions
F1352	125x3,0x22,2 mm
F1355	230x3,0x22,2 mm

Thin diamond cutting disc



Cat. no.	Diameter / hole
H1071	115/22,2 mm
H1072	125/22,2 mm
H1074	180/22,2 mm
H1074E	180/25,4 mm
H1075E	200/25,4 mm
H1076	230/22,2 mm
H1076E	230/25,4 mm
H1077E	250/25,4 mm

Segmented Diamond cutting disc DYNAMIC



Cat. no.	Diameter / hole
HP2110	110/22,2 mm
HP2111	115/22,2 mm
HP2112	125/22,2 mm
HP2113	150/22,2 mm
HP2114	180/22,2 mm
HP2116	230/22,2 mm
HP2117E	250/25,4 mm
HP2118E	300/25,4 mm
HP2119E	350/25,4 mm

Recommended disc for cutting: concrete, brick, clinker, stone

Double row 125mm DYNAMIC



**HP041** 125/22,2mm

Leaf-shaped discs



Cat. no.	Gradation, Diameter x hole
F20036	36, 115x22,2 mm
F20060	60, 115x22,2 mm
F20080	80, 115x22,2 mm
F20120	120, 115x22,2 mm
F21036	36, 125x22,2 mm
F21060	60, 125x22,2 mm
F21080	80, 125x22,2 mm
F21120	120, 125x22,2 mm

Abrasive material: artificial corundum


Leaf-shaped discs



Cat. no.	Gradation, Diameter x hole
F26036	36, 125x22,2 mm
F26060	60, 125x22,2 mm
F26080	80, 125x22,2 mm
F26120	120, 125x22,2 mm

Abrasive material: zirconium

Thin diamond cutting disc TURBO DYNAMIC 125/22,2mm



**HP031**


Brazing tool kit nozzle 50 mm, 28kW



**31B021**

Operating temperature 1400°C, gas consumption 2000 g/h, dysza 50 mm, handle without trigger, lance length to 250 mm, the set includes: reinforced hose 2 m (compliant with EN ISO 3821), 2 wrenches 17, 19 mm

Brazing tool kit nozzle 60 mm, 58kW



**31B022**

Operating temperature 1850°C, gas consumption 4000 g/h, dysza 60 mm, handle with trigger, lance length to 560 mm, the set includes: reinforced hose 5 m (compliant with EN ISO 3821), 2 wrenches 17, 19 mm



For all electric tools



Bi-Metal hole saw dia



BI-METAL/HSS

Cat. no.	Diameter
08W014	14 mm / 5/8"
08W016	16 mm / 5/8"
08W019	19 mm / 3/4"
08W020	20 mm / 25/32"
08W022	22 mm / 7/8"
08W024	24 mm / 15/16"
08W025	25 mm / 1"
08W027	27 mm / 1-1/16"
08W029	29 mm / 1-1/8"
08W030	30 mm / 1-3/16"
08W032	32 mm / 1-1/4"
08W035	35 mm / 1-3/8"
08W038	38 mm / 1-1/2"
08W040	40 mm / 1-9/16"
08W044	44 mm / 1-3/4"
08W045	45 mm / 1-25/32"
08W048	48 mm / 1-7/8"
08W051	51 mm / 2"
08W054	54 mm / 2-1/8"
08W057	57 mm / 2-1/4"
08W060	60 mm / 2-3/8"
08W064	64 mm / 2-1/2"
08W065	65 mm / 2-9/16"
08W068	68 mm / 2-11/16"
08W070	70 mm / 2-12/16"
08W073	73 mm / 2-7/8"
08W076	76 mm / 3"
08W083	83 mm / 3-1/4"
08W086	86 mm / 3-3/8"
08W092	92 mm / 3-5/8"
08W095	95 mm / 3-3/4"
08W102	102 mm / 4"
08W105	105 mm / 4-1/8"
08W111	111 mm / 4-3/8"
08W114	114 mm / 4-1/2"
08W121	121 mm / 4-3/4"
08W127	127 mm / 5"
08W140	140 mm / 5-1/2"
08W146	146 mm / 5-3/4"
08W152	152 mm / 5-31/32"
08W160	160 mm / 6-5/16"
08W165	165 mm / 6-1/2"
08W168	168 mm / 6-5/8"
08W178	178 mm / 7"
08W200	200 mm / 7-7/8"
08W210	210 mm / 8-9/32"

Hole saw 8 pcs set 19-64mm



0791

Hole saw 9 pcs. set 19-82mm



0792

5 pcs. masonry drill bits for hammer drills



0793

Hole saw 4 pcs set 32-54mm



0790

Pilot drill 6mm



08W003

Glass and tile drill dia 8 mm length 8 mm



08W004

Hole saw adapter for dia. 14-30 mm



08W001 hex. 13 mm  
08W006 hex. 10 mm

Hole saw adapter for dia. 32-168 mm



08W002 hex. 13 mm  
08W007 hex. 10 mm

Mixer with THREAD M14



DEDO429 Mixer with THREAD M14 for 10-20 kg  
dia 115 L600 mm  
DEDO439 Mixer with THREAD M14 for 20-35 kg  
dia 135 L570 mm

Cross head screwdriver bits with limiter PH2x25mm, 2pcs blist



18A08PHG20-02

Hard tile adapter for big hole saws 32-73 mm



08W005

Magnetic socket bit set



18A09S1  
Magnetic socket bit set 3pcs: 8, 10, 13x48mm, 1/4"

Magnetic bit holder



18A1001  
18A1002  
Magnetic bit holder 60mm, 1/4"

Screwdriver bits set



18A11S032  
Screwdriver bits set 32pcs, plastic box

Adapters set



18A1003  
Adapters set 3pcs: 1/2", 1/4", 3/8"

Angle bit holder 1/4"



18A1004

+	PH	1, 2 x 2, 3
+	PZ	1, 2 x 2, 3
-	SL	3, 4, 5, 6
⊕	H	3, 4, 5, 6
⊗	T	10, 15, 20, 25, 27, 30, 40
⊗	TT	10, 15, 20, 25, 27, 30, 40



Multifunctional drill



4 OSTRZA  
BLADES



POWŁOKA  
TYTANOWA  
TITANIUM  
COVERED

WĘGLIK  
SPIEKANY  
TUNGSTEN  
CARBIDE

Available:  
11  
MAY

For: wood, plastic, aluminium, brick, ceramic, glass

Cat. no.	Length /quantity
DED1529Q03	3mm/4 blades
DED1529Q04	4mm/4 blades
DED1529Q05	5mm/4 blades
DED1529Q06	6mm/4 blades
DED1529Q07	7mm/4 blades
DED1529Q08	8mm/4 blades
DED1529Q10	10mm/4 blades
DED1529Q12	12mm/4 blades
DED1529Q14	14mm/4 blades

Concrete drill SDS PLUS



Cat. no.	Diameter x length
WP0511	5,0x110/50
WP0516	5,0x160/100
WP0611	6,0x110/50
WP0616	6,0x160/100
WP0621	6,0x210/150
WP0816	8x160/100
WP0821	8x210/150
WP0826	8x260/200
WP0841	8x410/350
WP1016	10x160/100
WP1021	10x210/150
WP1026	10x260/200
WP1031	10x310/250
WP1041	10x410/350
WP1060	10x600/540
WP1216	12x160/100
WP1221	12x210/150
WP1231	12x310/250
WP1241	12x410/350
WP1260	12x600/540
WP1421	14x210/150
WP1426	14x260/200
WP1441	14x410/350
WP1460	14x600/540
WP1626	16x260/200
WP1631	16x310/250
WP1646	16x460/400
WP1660	16x600/540
WP1680	16x800/740
WP16T00	16x1000/940
WP1831	18x310/250
WP1846	18x460/400
WP1860	18x600/540
WP2031	20x310/250
WP2041	20x410/350
WP2060	20x600/540
WP2246	22x460/400
WP2260	22x600/540
WP2545	25x450/400
WP2560	25x600/540

5pcs concrete drill bits set



WBS05  
5pcs concrete drill bits set,  
4,5,6,8,10mm

5 pcs. masonry drill bits for hammer drills



0703

8 pcs masonry drill bits for hammer drills



0704

Concrete drill bit



Cat. no.	Diameter x length
WB04075	4/80 mm
WB05085	5/90 mm
WB06010	6/100 mm
WB08012	8/120 mm
WB08020	8/200 mm
WB10012	10/120 mm
WB10020	10/200 mm
WB12015	12/150 mm
WB12020	12/200 mm

Chisel-chaser SDS PLUS



WPB22  
14x22x250 mm

Flat chisel SDS PLUS



WPD20 14x20x250 mm  
WPD40 14x40x250 mm

Bending chisel SDS PLUS, bent



WPDW40  
40x14x250 mm

4 pcs Masonry chisel bits for hammer drills



0708

Styrofoam hole saw



DED050  
Diameter 65 mm

Styrofoam thermo plug



DED051  
100pcs

Styrofoam thermo plug



DED051G  
Graphite 100 pcs

Carbide coated hole saw set



DED1515  
Carbide coated hole saw set 22, 28, 35, 44, 68, 3 mm

Carbide coated hole saw set



DED1518  
Carbide coated hole saw set 33, 53, 67, 73 mm

Diamond hard tile bit set 3pcs: 28,35,68mm



DED1590SZ05

Diamond hard tile bit set 4pcs: 6,8,10,12mm



DED1590SZ02

Diamond hard tile bit



Cat. no.	Diameter
DED1590S06	6 mm
DED1590S08	8 mm
DED1590S10	10 mm
DED1590S12	12 mm
DED1590S20	20 mm
DED1590S28	28 mm
DED1590S35	35 mm
DED1590S40	40 mm
DED1590S45	45 mm
DED1590S50	50 mm
DED1590S55	55 mm
DED1590S68	68 mm
DED1590S72	72 mm
DED1590S82	82 mm

M14 fastening, suitable for dry and wet work, for materials such as concrete, brick, glass, asphalt, laminate, PVC, steel, non-ferrous metals, wood, etc.



For all electric tools



**Hex key set CrV BS (1/16"-3/8") 9 pcs**



Length 215 mm

Cat. no.	Type	Dimensions
0652	measured in millimetres	1,5; 2,2; 5; 3; 4; 5; 6; 8; 10 mm
0652C	measured in inches	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
0653	measured in millimetres with a ball	1,5; 2,2; 5; 3; 4; 5; 6; 8; 10 mm
0653C	measured in inches with a ball	1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"
0654	TORX	T10; T15; T20; T25; T30; T35; T40; T45; T50

**Spare blades for wood 125mm, for 1222, 10 pcs**



**1202**

**Double-sided metal/wood blade**  
polish product

Cat. no.	Quantity of teeth, quantity in package
1206-03	8-24 z/cal, 1 pcs.
1206-04	8-24 z/cal, 5 pcs.
1206-05	8-24 z/cal, 72 pcs.

Dimensions: 300 mm

**Double-sided metal blade**  
polish product

Cat. no.	Dimensions, length
1207-04	300mm, 5 pcs.
1207-05	300mm, 72 pcs.

Dimensions: 300 mm



Cat. no.	Length
1240	150mm
1241	180mm
1242	200mm

**Long nose pliers 160 mm**



**1243**



**1246** 140 mm  
**1248** 180 mm



**1249**




**1252**



**1253**



**1256**



**1206-00**



Cat. no.	Length
1211	400 mm
1212	450 mm
1213	500 mm

Handsaw 400mm, rubber grip, hardened tooth



**1222**

Fret saw for wood, 5 sawblades



**12A206**  
Model-making vice 60mm



**12A107**  
Model-making vice 75mm with joint



**N0030**  
Velcro regulation




**1206-01**  
Holder with double-sided metal/wood blade 300mm



**1215**

Handle rubber-coated, hardened teeth, 2 edges, number of teeth: 12 teeth per inch



**1224**

Hacksaw for metal, 150 mm, 3 sawblades



Cat. no.	Parametry
12A307	80 mm/5,5 kg
12A312	125 mm/9,5 kg
12A315	150 mm/14,5 kg



**1304**  
Angle grinder (180/230 mm) support



**N0031**  
Tool holster 25x25cm, 7 pockets




**1209W**



**1218**

Handsaw 450mm, rubber grip, hardened tooth



**1226**

Hacksaw frame 300mm, rubber handle



Cat. no.	Parametry
12A412	125 mm/9,5 kg
12A415	150 mm/15 kg



**1305**



**N0032**  
Tool belt 1 part, 20x10x30cm, 8 pockets



**1210G**



Cat. no.	Dimensions
1239-02	20", 233x53x56mm
1239-03	25", 250x65x60mm
1239-04	35", 295x80x70mm
1239-05	45", 320x120x75mm



**1239-06**  
Mitre box 320x120x75mm (4,5"), with cam-lever grips



**2001P**  
Steel brush 4 rows, plastic handle



**2002**



**2003**

For all electric tools



1/2", 1/4" Socket set 94 pcs.

HILLEN & MOHR  
TOOLS



set  
**94**  
pcs.



**17K094**

12 pcs. combination spanner CrV set

DEDRA



**1405**

Dimensions: 6-14, 17, 19, 22 mm, tool roll

set  
**12**  
pcs.



25 pcs. combination spanner CrV set



komplet  
**25**  
szt.

**1406**

Dimensions: 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 30; 32 mm, tool roll

1/2" Socket set 25 pcs.

HILLEN & MOHR  
TOOLS



set  
**25**  
pcs.



**17K025**

12 pcs combination spanner ROUGH MATT finish CrV set 6-22mm

DEDRA



**1705K**

Dimensions: 6; 7; 8; 9; 10; 11; 12; 13; 14; 17; 19; 22 mm

set  
**12**  
pcs.

8 pcs. combination spanner ROUGH MATT finish CrV set

DEDRA



**1703K**

Dimensions: 8; 10; 12; 13; 14; 17; 19; 22 mm

Claw hammer 450g fiberglass

DEDRA



**13M430**

Fiberglass handle

Locksmith hammer

DEDRA



Beech handle

Cat. no.	Weight
13M400	100 g
13M401	200 g
13M402	300 g
13M403	500 g
13M404	800 g
13M405	1 000 g
13M406	1 500 g
13M407	2 000 g
13M408	4 000 g
13M409	6 000 g

Locksmith hammer

DEDRA



Fiberglass handle

Cat. no.	Weight
13M420	300 g
13M421	500 g
13M422	800 g
13M423	1 000 g

Carpenter hammer 600g

DEDRA



**13M440**

Fiberglass handle

Bricklayer hammer 600g

DEDRA



**13M450**

Fiberglass handle

Welding hammer 300g

DEDRA



**13M490**

Rotary laser level set

DEDRA



**MD1002**

Laser beam range: 30 m, the set includes: adjustable tripod 43-119 cm, power supply: 4 R14 batteries, plastic carrying case

Tape

DEDRA

Cat. no.	Length /Width
M382	3 m/16 mm
M582	5 m/19 mm
M882	8 m/25 mm
M1082	10 m/32 mm



Stop button, clip, rubber grip, class II

Wood folding ruler

DEDRA



**M6001** 1m  
**M6002** 2m  
Birch wood

Maple wood folding ruler 2m

DEDRA



**M6004**  
Maple wood

Laser level 60 cm

DEDRA



**MD1004**

Cutter 18mm

DEDRA



**M9015** Cutter 18mm + 1 spare blade, rubber grip, clip

**M9015P** Cutter 18mm + 1 spare blade, rubber grip, clip in box of 24 pcs.

Cutter 18mm metal and rubber handle Manager

DEDRA



**M9017**  
**M9017P**

Cutter 18mm metal and rubber handle, display 12 pcs.

Spare blades 18 mm, 10 pcs.

DEDRA



**M9021**

Carpenter pencil HB

DEDRA



**M9003**

Carpenter pencil HB 24,5 cm red

Carpenter pencil made in USA

DEDRA



**M9001**

Cedar wood

Mini level keychain

DEDRA



**M311.102**

80 pcs. in a display jar



For all electric tools

DEDRA

PANSAM

DESCON

Heavy duty Tile cutter



Cat. no.	Maxium cutting length / diagonally cutting
1145	400 mm / 282x282 mm
1146	500 mm / 350x350 mm

Tile cutter alum. with ball bearings



Cat. no.	Maxium cutting length
1151	700 mm
1152	800 mm
1153	1000 mm
1154	1200 mm

SLIDE WITH BALL BEARINGS

X-PROFILE GUIDE FOR AN INCREASED RIGIDITY

Tile cutter



- LASER POINTER
- DOUBLE, CHROME PLATED SLIDING BAR
- BALL BEARING SYSTEM

1163-080 Tile cutter 800mm, cushioned base-plate, prop stands  
1163-100 Tile cutter 1000mm, cushioned base-plate, prop stands

Scoring wheel on shank



DED000A  
Scoring wheel on shank #1162-070, -090

Carbide cutting wheel dia.14/1,5 mm



DED001  
For tiling machine

Carbide cutting wheel dia. 22/5 mm



DED002  
For tiling machine

Carbide cutting wheel dia. 16/3 mm



DED003  
For tiling machine

Carbide cutting wheel dia. 15/1,5 mm



DED0031  
For tiling machine

Carbide cutting wheel dia. 22mm



DED0021  
Carbide cutting wheel dia 22mm/2mm, screw

Carbide cutting wheel 22/6,5 mm



DED0022  
Carbide cutting wheel 22/6,5mm, 5mm screw

Carbide cutting wheel with bearing 22/6mm,



DED0023  
Carbide cutting wheel with bearing 22/6mm+4,8mm, screw

Bearing cutting wheel #1163-080, -100



DED0024  
Bearing cutting wheel #1163-080, -100, screw

Wire tie twister



1275  
Soft grip

Double loop tie wire



1276  
Double loop tie wire 2500pcs

Key for twisting wire



1278  
Wooden handle

Rabbit pincers 300mm



1279

Drain cleaner spring



Cat. no.	Diameter x Length
12H603	6mm x 3m
12H605	6mm x 5m
12H803	8mm x 3m
12H805	8mm x 5m
12H810	8mm x 10m
12H910	10mm x 10m

12H603 i 12H605: made of galvanized steel

Wall scraper stainless



Cat. no.	Width
ZP040N	40 mm
ZP060N	60 mm
ZP080N	80 mm
ZP100N	100 mm

Wall scraper stainless



Cat. no.	Width
ZP150N/6	150/6x6 mm
ZP150N/8	150/8x8 mm
ZP250N/6	250/6x6 mm
ZP250N/8	250/8x8 mm

Plastering spatula stainless



Cat. no.	Width
ZP250N	250 mm
ZP450N	450 mm

Scrapers set stainless steel 4 pcs.



15B009  
50, 80, 100, 120 mm

Scrapers set plastic 4 pcs.



15B008  
50, 80, 100, 120 mm

Steel wool



Cat. no.	Gradation
1530-00	00
1530-0	0
1530-1	1
1530-3	3

200 g., made in Germany

**PERFECT FOR CLEANING AND POLISHING WOOD, COPPER, BRASS AND OTHER METALS.**

**00,0** - fine, delicate and soft, used for soft cleaning and polishing,  
**1** - thicker and more rigid for sanding surfaces and stronger cleaning effect,  
**3** - coarse with strong polishing properties for rough cleaning.

Tile wash 25L PROFI-CLEAN, loose



1511

Styrofoam float



Cat. no.	Dimensions
15B010	270x130 mm
15B011	320x170 mm
15B012	500x140 mm
15B013	700x140 mm

Scraper 140 mm



**15B045**

Scraper 140 mm with plastic hanger

**Complementary products:**

**15B046** Spare blade for scraper 140mm

Scraper 250 mm



**15B047**

Scraper 250 mm with plastic hanger

**Complementary products:**

**15B048** Spare blade for scraper 250mm

Building sac PP



**15B200**

50x85 cm, 80 L

**15B201**

65x100 cm, 110 L

65 g/m<sup>2</sup>, white


Plastic pipe cutter PVC, PE, PP, PB



**A464011**

Plastic pipe cutter 42mm

Tile magnetic fittings



**DED005**

4 pcs. set

Hole cutter



**DED004**

Hole cutter 30-120 mm

Tile nipper with TC tip



**DED011**

Tungsten carbide blade

Tile Cutting Pliers



**DED022**

Tile Cutting Pliers, steel blade, HM tip



Grouting float



Cat. no.	Diameter
1120-15	15 cm
1120-20	20 cm
1120-25	25 cm

Wooden handle

50mm Tile grout rake



**1114** 50mm

Tile grout rake,

TC grit, 1 blade

**1115** 50mm Tile grout rake TC grit, 2 blades

**Complementary products:**

**11151** 50mm spare blade grout rake

25mm Tile grout rake



**1116**

25mm Tile grout rake, TC grit, 1 blade

**Complementary products:**

**11161** 25mm spare blade grout rake

Caulking gun



**1201**

Foam gun, plastic handle



**1201-20**

Nickel-plated barrel with brass nozzle, plastic handle and trigger, weight: 145 g

Foam gun, metal material, with brass nozzle



**1201-21**

Nickel-plated housing and barrel with brass nozzle, PP handle, chrome-plated iron trigger, aluminium, Teflon-coated head, flux control knob

Foam gun, metal material, covered with Teflon



**1201-22**

Iron tube and trigger, aluminium handle and head, Teflon surface, plastic handle, weight: 415 g

Tile spacers



Cat. no.	Diameter
DED0210	1,0 mm, 200 pcs.
DED0215	1,5 mm, 200 pcs.
DED0220	2 mm, 200 pcs.
DED0225	2,5 mm, 150szt
DED0230	3 mm, 150 pcs.
DED0240	4 mm, 100 szt
DED0250	5 mm, 100 szt
DED0260A	6 mm, 50 pcs.
DED0280A	8 mm, 20 pcs.
DED0290A	10 mm, 20 pcs.

Tile adjusting wedge



**DED0200** Small 100 pcs.

**DED0201** Large 50 pcs.

**0.93 lei**

Supplementary tilting kit



**DED02QL2**

Supplementary tilting kit, 100 spacers

Tiling kit



**DED02QL1**

Tiling kit, 50 discs + 50 spacers

Tile spacers „T”



Cat. no.	Diameter
DED02T06	6 mm, 50 pcs.
DED02T08	8 mm, 20 pcs.
DED02T09	10 mm, 20 pcs.

Tile spacers with handle



Cat. no.	Dimensions
DED02U015	1,5 mm, 150 pcs.
DED02U020	2,0 mm, 100 pcs.
DED02U025	2,5 mm, 100 pcs.
DED02U030	3,0 mm, 100 pcs.



For all electric tools



Cable ties white



Cat. no.	Dimensions, quantity
11B25102	2,5x100 mm, 100 pcs.
11B25142	2,5x140 mm, 100 pcs.
11B25202	2,5x200 mm, 100 pcs.
11B36141	3,6x140 mm, 25 pcs.
11B36142	3,6x140 mm, 100 pcs.
11B36201	3,6x200 mm, 25 pcs.
11B36202	3,6x200 mm, 100 pcs.
11B36301	3,6x300 mm, 25 pcs.
11B36302	3,6x300 mm, 100 pcs.
11B48201	4,8x200 mm, 25 pcs.
11B48202	4,8x200 mm, 100 pcs.
11B48301	4,8x300 mm, 25 pcs.
11B48302	4,8x300 mm, 100 pcs.
11B48371	4,8x370 mm, 25 pcs.
11B48372	4,8x370 mm, 100 pcs.
11B90611	9x610 mm, 25 pcs.

Cable ties black



Cat. no.	Dimensions, quantity
11C25102	2,5x100 mm, 100 pcs.
11C25142	2,5x140 mm, 100 pcs.
11C25202	2,5x200 mm, 100 pcs.
11C36141	3,6x140 mm, 25 pcs.
11C36142	3,6x140 mm, 100 pcs.
11C36201	3,6x200 mm, 25 pcs.
11C36202	3,6x200 mm, 100 pcs.
11C36301	3,6x300 mm, 25 pcs.
11C36302	3,6x300 mm, 100 pcs.
11C48201	4,8x200 mm, 25 pcs.
11C48202	4,8x200 mm, 100 pcs.
11C48301	4,8x300 mm, 25 pcs.
11C48302	4,8x300 mm, 100 pcs.
11C48371	4,8x370 mm, 25 pcs.
11C48372	4,8x370 mm, 100 pcs.
11C90611	9x610 mm, 25 pcs.

Stainless steel fasteners



Cat. no.	Dimensions, quantity
11NB4121	4,6x125 mm, 20 pcs.
11NB4200	4,6x200 mm, 5 pcs.
11NB4201	4,6x200 mm, 20 pcs.
11NB4291	4,6x290 mm, 20 pcs.
11NB4360	4,6x360 mm, 5 pcs.
11NB4361	4,6x360 mm, 20 pcs.
11NB4520	4,6x520 mm, 5 pcs.
11NB4521	4,6x520 mm, 20 pcs.
11NB4680	4,6x680 mm, 5 pcs.
11NB4681	4,6x680 mm, 20 pcs.
11NB8360	7,9x360 mm, 5 pcs.
11NB8361	7,9x360 mm, 20 pcs.
11NB8521	7,9x520 mm, 20 pcs.
11NB8680	7,9x680 mm, 5 pcs.
11NB8681	7,9x680 mm, 20 pcs.

Stainless steel fasteners



Cat. no.	Dimensions, quantity
11NC4121	4,6x125 mm, 20 pcs.
11NC4201	4,6x200 mm, 20 pcs.
11NC4291	4,6x290 mm, 20 pcs.
11NC8361	7,9x360 mm, 20 pcs.

Velcro bands



Cat. no.	Dimensions, quantity
11RB12151	12 x 150 mm, 5 pcs.
11RB16211	16 x 150 mm, 5 pcs.
11RB16311	16 x 310 mm, 5 pcs.

Velcro bands



Cat. no.	Dimensions, quantity
11RC12151	12 x 150 mm, 5 pcs.
11RC12152	12 x 150 mm, 10 pcs.
11RC16211	16 x 210 mm, 5 pcs.
11RC16212	16 x 210 mm, 10 pcs.
11RC16311	16 x 310 mm, 5 pcs.
11RC16312	16 x 310 mm, 10 pcs.

Velcro bands 12x150mm, mix of colors 10pcs



11RM12152

Staples thick 0,7, 1000 pcs.



Cat. no.	Length
11Z106	6 mm
11Z108	8 mm
11Z110	10 mm
11Z112	12 mm
11Z114	14 mm

Staples 1,2 x 10,6 mm, 1000 pcs.



Cat. no.	Length
11Z206	6 mm
11Z208	8 mm
11Z210	10 mm
11Z212	12 mm
11Z214	14 mm

Nails, thick 1,2mm 1000 pcs.



Cat. no.	Length
11Z310	10 mm
11Z312	12 mm
11Z314	14 mm

Headlight 3W LED



L1010

Headlight 3W LED, focus, infrared, with batteries, ABS housing with soft finish, function: white/red/red flash, 250 lumens

Hammer tackler 6-10 mm thick, 1,2mm



11Z004



Hand stapler 4-8 mm thick, 0,7mm



11Z001



Hand stapler 6-14 mm thick, 0,7mm, adjustable power



11Z002



Hand stapler 4 in 1, 6-14mm thick, 1,2 mm, adjustable power



11Z003

Worklight 1.5W COB LED + 1W LED, pen



L1004

Worklight 1.5W COB LED + 1W LED, pen, with batteries, 150 lumens, magnet, with batteries, display pack 24 pcs.

Worklight 3W COB LED



L1006

Worklight 3W COB LED, lengthwise shape, with batteries, ABS housing with soft finish, magnet, swivel hook, 200 lumens

Workshop lamp 10W SMD LED



A+ 750 LUMENS

L1060-1 30V-50Hz, with S stand, IP65, 750 lumens, cord length 1,5m, lamp life 30000h, 230V-50Hz, stand, IP65, aluminium reflective panel

Workshop lamp 30W SMD LED



A+ 2250 LUMENS

L1060-3 230V-50Hz, with S stand, IP65, 2250 lumens, cord length 1,5m, lamp life 30000h, 230V-50Hz, stand, IP65, aluminium reflective panel

Workshop lamp 100W SMD LED



A+ 8000 LUMENS

L1060-9 ALU panel, with S stand, IP65, 8000 lumens, cord length 1,5 m, lamp life 30 000 h, 230V-50Hz, stand, IP65, reflective panel in aluminium

Workshop lamp 20W SMD LED, Economy



A 1500 LUMENS

L1071-2 Tripod stand, IP65, 1500 lumens, cord length 2,5 m, lamp life 30 000 h, 230V-50Hz, tripod, IP65, polycarbonate reflective panel

Workshop lamp 30W SMD LED, Economy



A+ 2250 LUMENS

L1071-3 Tripod stand, IP65, 2250 lumens, cord length 2,5 m, lamp life 30 000 h, 230V-50Hz, tripod, IP65, polycarbonate reflective panel

Workshop lamp 50W SMD LED, Economy,



A+ 4000 LUMENS

L1071-5 Tripod stand, IP65, 4000 lumens, cord length 2,5 m, lamp life 30 000 h, 230V-50Hz, tripod, IP65, polycarbonate reflective panel

Workshop lamp 2x20W SMD LED, Economy



A 2 X 1500 LUMENS

L1072-2 Tripod stand, IP65, 2 x 1500 lumens, cord length 2,5 m, lamp life 30 000 h, 230V-50Hz, tripod, IP65, polycarbonate reflective panel

Workshop lamp 2x30W SMD LED, Economy



A+ 2 X 2250 LUMENS

L1072-3 Tripod stand, IP65, 2 x 2250 lumens, cord length 2,5 m, lamp life 30 000 h, 230V-50Hz, tripod, IP65, polycarbonate reflective panel

Rechargeable battery flashlight 3W COB LED



L1022

250 lumens, rechargeable battery flashlight 3W COB LED+1W LED, USB 230 V and 12 V power supply

Solder with flux, 2.0 mm



Cat. no.	Weight
31L42005	50 g
31L42010	100 g
31L42020	200 g

40%SN, Pb60Sn40

Solder with flux, 1.5 mm



**31L51505**  
50g, 50%SN, Pb50Sn50

Solder with flux 1.00 mm



Cat. no.	Weight
31L61001	10 g
31L61005	50 g
31L61010	100 g

Sn60Pb40 SW26/3/2.5%

Solder joint 2.5 mm



Cat. no.	Weight
31L92505	50 g
31L92525	250 g

97%SN SN97Cu3

Rosin 45g



**31LKAL45**

Flux paste 40g



**31LTOP40**

Desoldering pump 190mm



**31L00190**  
Aluminum housing

Tin solder 7x7x250mm



**31LL62503**  
Tin solder 7x7x250 mm,  
3 60%SN Sn60Pb40E

Tin solder, triangle L 318 mm



**31LL63820**  
200g SN Sn60Pb40E

Soldering iron 40W



**DED7530**

Maximum welding temperature: 500 °C

Complementary products:

**DED75301** Soldering tip for DED7530, dia 4,8 mm, point

**DED75302** Soldering tip for DED7530, dia 4,8 mm, flat

Soldering iron 60W



**DED7531**


Maximum welding temperature: 500 °C

Complementary products:

**DED75311** Soldering tip DED7531, dia 5,8 mm, point

**DED75312** Soldering tip DED7531, dia 5,8 mm, flat

Soldering iron 100W




**DED7532**

Maximum welding temperature: 500 °C

Complementary products:

**DED75321** Soldering tip for DED7532, dia 7,8mm, flat

Glue for universal use



Cat. no.	Produkt
DED7560	Transparent, 6 pcs.
DED7561	Transparent, 1 kg
DED7564	Milky, 6 pcs.

Glue for universal use



Cat. no.	Produkt
DED7570	White, 50 mm
DED7571	White, 100 mm

Display package 12 pcs., Śr. 7-8 mm

Glue gun 80W



**DED7551**

Warm-up time to full power: 2-3 minutes, capacity: 12-16 g/min, diameter of the adhesive insert: 11.2 mm

Glue gun cordless 400W



**DED7553**

Glue gun cordless, with adjustable temperature, with plastic, Warm-up time to full power: 3-5 minutes, capacity: 15-20 g/min, diameter of the adhesive insert: 11.2 mm

Safety sandals D3V, fabric, size: 39, cat.S1 SRC, composite

Cat. no.	Rozmiar
BH9D3V-39	39
BH9D3V-40	40
BH9D3V-41	41
BH9D3V-42	42
BH9D3V-43	43
BH9D3V-44	44
BH9D3V-45	45
BH9D3V-46	46
BH9D3V-47	47

**NEW!**



**SUPER LEKKIE**  
**SUPER KOMFORT**

WYGODNA, PRZEBUDOWANA WKŁADKA  
COMFORT, ANATOMICAL INSOLE

**DEDRA**

Available:  
11  
MAY

Working gloves PU



**BH1008R07** size 7  
**BH1008R08** size 8  
For women, mix of colors

Protective gloves PU coated



**BH1009R09** size 9  
**BH1009R10** size 10

Polycarbonate protective glasses



**BH1052**

Polycarbonate protective glasses, UV filter,dim

Safety glasses



**BH1054**

Safety glasses, polycarbonate, yellow



For all electric tools






Dehumidifier 200W 10L/24h



**DA-R010**

2 modes of operation: intensive drying and silent night operation; automatic maintaining of target air humidity, 24h timer, 1.8 l capacity water tank, automatic power-off if maximum capacity is reached, constant water discharge option, filter easy to disassemble and clean

9" desk fan




**DA-0900** White, 30W, 2 speeds

**DA-0900B** Black, 30W, 2 speeds



Dehumidifier 320W 20L/24h



**DA-R020**

4 modes of operation: intensive drying automatic mode, only fan mode and silent night operation; automatic maintaining of target air humidity, 24h timer, 3 l capacity water tank, automatic power-off if maximum capacity is reached, constant water discharge option, filter easy to disassemble and clean

Stand fan 16" with remote control



**DA-1603** White, 45W, 3 speeds, time 0,5 - 7,5h

**DA-1603B** Black, 45W, 3 speeds, time 0,5 - 7,5h




Dehumidifier 900W 50L/24h



**DA-R030**

900W power, 8 L tank with water level viewer, automatically maintaining the target air humidity, 2 operating modes: quiet, intensive, 24-h timer, automatic shutdown when the tank is filled, continuous water drainage option

Air purifier, 55W, 30m<sup>2</sup>



**DA-P055**

3-stage mechanical filter (pre-filter, HEPA filter, carbon filter), UVC filter, max. room size: 30 m<sup>2</sup>, capacity: 272 m<sup>3</sup>, max. noise level: 55 dB, 4-level air purification control, night mode, timer (2h / 4h / 8h), filter replacement sensor

**Complementary products:**

**DA-P0551** Filter replacement: Pre+Hepa+Carbon for DA-055

Air purifier, 70W, 50m<sup>2</sup>, LCD, remote control



**DA-P070**

3-stage mechanical filter (pre-filter, HEPA filter, carbon filter), UVC filter, max. room size: 50 m<sup>2</sup>, capacity: 483 m<sup>3</sup>, max. noise level: 62 dB, PM indicator: 2.5, touch panel, remote control, 4-level air purification control, night mode, timer (up to 24 h), air purity sensor, child lock

**Complementary products:**

**DA-P0701** Filter replacement: Pre+Hepa+Carbon for DA-070

Net price stated. Individual discounts do not apply to the above prices.

For all electric tools

